APPLE MACHINE OPERATING INSTRUCTIONS & RECIPE GUIDE

Everthing
you need
to know to operate
your Apple Paring,
Coring, Slicing
Machine.



See pages 2-3 for operating instructions

See pages 4-5 for any troubleshooting questions you may have.

See pages 6-9 for delicious recipes and apple tips!

See pages 10-11 to order additional or replacement parts.



This guide applicable to all models including: 860, 861, 864, 864R, 864G, 865, 866R

OPERATING INSTRUCTIONS

ブ田

Operating &

Diagram Parts List

for #860

See diagrams (at right) for reference

Pare, Core and Slice

Release groove clamp (B) and draw shaft (C) back, (or wind it back with handle).

3

- Press apple firmly, stem-end first, onto 3-prong fork (D). Apple must be on straight, lined up with shaft so paring knife can do a thorough job.
- 3. Turn handle until paring knife (Z) starts to pare apple. If paring knife doesn't pass apple, clean paring knife to correct. around the apple treely, guide it by hand. It paring knife clogs and skips due to a soft
- 4. For different sized apples, adjust gap between paring knife and knife holder (E) by by moving very slightly, approximately 1/ cut. If paring knife is skipping or not paring correctly, simply adjust paring knife (Z) loosening screw and sliding paring knife out for deeper paring cut or in, for thinne

order Core-Only attachment from Optional Parts List on page 10.) Core only (Optional Core-Only attachment included with #861. For all other models

 Push paring knife (Z) away from Apple Machine until it locks into position behind bolt. For Model #860, first remove paring knife holder (E) by unscrewing nut and bolt. retaining bar, then remove slicer/corer (F). Attach corer (T) to mounting plate (M) with

MODEL #860.

Pare only

Slice and Core only 1. Remove *slicer/corer (F)*, this allows the paring knife to work alone.

1. Remove paring knife holder (E) by unscrewing the nut and bolt

MODEL #861:

Pare only

1. Remove slicer/corer (F), this allows the paring knife to work alone

Core only

1. Push paring knife (Z) back away from Apple-Mate until it locks into position behind Slice and Core only retaining bar. Remove slicer/corer (F), attach corer (T) to mounting plate (M) with bolt

1. Push paring knife (Z) back away from Apple-Mate until it locks into position behind retaining bar. Attach slicer/corer (F) to mounting plate (M) with bolt

Pare and Core only

 Leave paring knife (2) in cutting position. Remove slicer/corer (F), attach corer (T) to mounting plate (M) with bolt.

MODEL #864, 865, 866

Pare only

1. Remove slicer/corer (F), this allows the paring knife to work alone.


Slice and Core only

1. Push paring knife holder (E) back, away from Apple Machine until it locks into position behind retaining bar. Leave slicer/corer (F) attached

MODEL #865, 866

Releasing Vacuum Base:

When releasing suction lever, hold lever firmly and release slowly








TROUBLESHOOTING

each use. Refer to the following instructions each time you set up and you will enjoy years of trouble free service. To prevent damage, it's important that your Apple machines be adjusted properly before


All Models:

sure flanged end of blade faces away from 3 pronged fork, and support plate is in proper Be sure Slicer/Corer Blade is facing the right way. When using the slicer/corer blade, be position. (See diagram below).




All Models:

even space all the way around prong fork so that there is an Align slicer or corer with the 3 and push shaft all the way in. Blade. Release groove clamp Align Corer or Slicer/Core (See diagram at right). the 3 pronged fork.



Model #860:

cleaning, be sure it is facing the right way. If paring knife blade Face Paring Knife Blade the (See diagram at right). right way before using. been removed for






TROUBLESHOOTING

Models #861, 864, 865, 866:

slightly, i.e. 1/32" until you adjust, loosen wing nut and approximately even with the move blade forward or back rounded end of the holder. To have the peeling blade The correct setting should Adjust Paring Knife Blade



blade back less apple will be peeled. (See diagram above) By moving blade forward (away from holder) more apple will be peeled and by moving blade as shown. Hold firmly in desired position and tighten wing nut securely. Note: obtain desired peeling depth. Make sure there is an even space between holder head and

ALL MODELS:		
Problem	Cause	Solution
Won't pare properly. Will not peel.	Paring blade needs cleaning. Paring blade is not properly adjusted.	Rinse off paring blade. Adjust paring blade.
Parer removes too much fruit with peel.	Paring blade is set too deep.	Adjust paring blade for shallower cut. See Diagram above.
Fruit breaks up before being completely sliced.	Fruit is too soft.	Use only fresh, hard fruit. See diagram above.
Part of core is sliced with fruit.	Fruit is not centered on 3 pronged fork.	Be sure fruit is centered on 3 pronged fork.
Won't core properly.	Coring blade not aligned properly.	Align coring blade.
Fruit won't slice.	Slicing blade is on backwards.	Be sure slicing blade is facing the right way.

Care Instructions:

number of apples, it is recommended that you rinse and dry your machine occasionally. unit be washed by hand and dried thoroughly after every use. If you are processing a large Apple juice is very sticky when dry, so it is important for satisfactory operation that the



Look for more Norpro products for the rest of your Bakeware needs. Pie-making is easy when using Norpro Apple Machines!

Basic Pie Crust

3 cups (320 g) sifted flour 1 cup (225g) veg. shortening or lard

3 tablespoons (45g) sugar $\frac{1}{2}$ cup (118 ml) ice cold water



Pastry 3245 Blender Grip-EZTM

Cheesy Pie Crust

3/4 cup (175 g) shortening 2 1/2 cups (350 g) sifted flour $\frac{1}{3}$ cup (79 ml-118 ml) ice cold water 2 cup grated cheddar cheese



Pie Top Lattice

3255

Apple Pie Filling

2 tablespoons (60 ml) lemon juice 5 large apples 1/2 cup (100 g) brown sugar, packed 1/2 teaspoon (2.5 g) cinnamon 2 tablespoons (17.5 g) all purpose flour

> 1 tablespoon (15 g) butter 1/₂ teaspoon (2.5 g) nutmeg 11/, teaspoon (7.5 ml) milk teaspoon (5 g) sugar

Preheat oven to 400°F/204°C. Grease a 9" pie plate. Make pie crust. Place flour in bowl. Cut in shortening with pastry blender until mixture resembles coarse crumbs. Using a blending fork, stir in water, a tablespoon at a time until dough forms a ball. Do not overmix. Divide in slice the apples using Norpro's Apple Machine. Cut slices into quarter pieces. Place in bowl half and wrap in wax paper. Refrigerate 30 minutes. Meanwhile, make filling - peel, core and dough out of refrigerator and roll one into a 12" circle approximately 1/4" thick. Fold in half, and toss with lemon juice. Combine the brown sugar, flour, cinnamon and nutmeg. Take slices in the crust and sprinkle with half of the sugar mixture. Repeat the layers. Cut the place onto pie plate, and unfold. Brush crust with beaten egg white. Layer half the apple butter into small pieces and scatter over the apples. Roll out the top crust, place over the baking. Bake 50 to 60 minutes or until crust is golden brown. Cool and serve with vanilla ice with 1 teaspoon sugar. Cover with Norpro's Perfect Pie Crust Shield to protect edges while filling, trim and flute edges. Make 3 steam vents in the center. Brush with milk and sprinkle



RECIPES

Susie's Apple Cobbler

1/₂ cup (100 g) sugar

6 large apples

cup (140 g) flour

1 teaspoon (5 g) baking powder teaspoon (5 g) ground cinnamon $\frac{1}{2}$ cup (100 g) brown sugar 1 large egg $^{1}\!I_{3}$ cup (85 g) melted butter or margarine

sugars. Beat the egg lightly and stir into the sugar mixture. Spoon on top of the sliced into 1/," pieces. In a medium size bowl, mix the flour, cinnamon, baking powder and the Preheat oven to 350°F/177°C. Grease a 2 quart baking dish. Peel, core and slice the apples apples. Pour melted butter over mixture and bake for 45 minutes.

2 Piece Nonstick Pie Set

Apple-Cheese Pizza

Pastry for a single pie crust

5 large apples

1/2 cup (60 g) grated cheddar cheese


3 tablespoons (45 g) butter

1/2 teaspoon (2.5 g) ground nutmeg 1/2 teaspoon (2.5 g) ground cinnamon

1/2 cup (100 g) brown sugar

1/2 cup (118 g) chopped walnuts

minutes. Peel, core and slice the apples into 1/4 pieces. Arrange on the pizza crust and place on the greased pizza pan. Form a rim around the edge. Bake in the oven for 10 Preheat oven to 400°F/204°C. Grease a 12" pizza pan. Roll the pastry into a 13" circle and 1/2 cup (118 g) oatmeal sprinkle with the grated cheese. Mix together the walnuts, oatmeal, brown sugar and spices.





Pie Crust Perfect Shield 3277 The



RECIPES

Apple Leather Roll Ups

- 4 medium size apples
- 1 tablespoon (15 ml) lemon juice
- 2 tablespoons (30 ml) honey or to taste
- 1/2 teaspoon (2.5 g) ground cinnamon

comes to within 1/2" of the edges. Place in a 140°F/60°C oven and test after 3 hours. The roll pans with waxed paper and spread with the apple puree so that it is about 1/4" thick and ingredients and process to a puree. There will be approximately 3 cups of puree. Line 2 jelly start rolling it over. Cut into 2 pieces. Store in the refrigerator for up to one month leather should be slightly sticky and pull away from the waxed paper. Lift up about 1" and Peel, core and slice the apples. Place in a food processor or blender. Add the rest of the



cider or apple sauce, use overripe apples For perfect apple with bruises removed



chopped or sliced and yields 4 cups when 1 pound of apples 11/2 cups of apple sauce.



Dehydrating Apple Slices

drying trays. In a dehydrator or a regular oven, dry at temperatures between 120°F/49°C and Peel, core and slice apples into 1/4" pieces. Arrange in layers (no more than 1/2" deep) on hours for the slices to dry thoroughly. If you want to do it overnight, set the temperature at 140°F/60°C. At 140°F/60°C (higher temperatures bake the slices) it will take approximately 6 120°F/49°C. For evenly dried slices, turn them occasionally on the trays



dropped in a bowl of water with 2 tablespoons of Sliced or cut apples will Stay whiler longer if lemon juice.

Substitute apple cider vice-versa if called tor apple juice and for in a recipe.



FREEZING APPLES

apple slices and pack into freezer containers, leaving a 1/2 head space. Pour the boiling syrup over the apple slices, again leaving a 1/2 head space. Cover the containers, label and acid to the syrup to prevent the apples from browning in the freezer. Meanwhile, drain the sugar. Bring to a rolling boil for 5 minutes. If desired, add 1 teaspoon powdered ascorbic sugar and 2 quarts water in a saucepan and slowly bring to a boil, stirring to dissolve the cold water mixed with 2 tablespoons of lemon juice. Combine 4 cups extra fine granulated apples (9 med. size apples) into $\frac{1}{4}$ slices. Drop immediately in a bowl containing 1 gallon can be used if you follow these easy freezing instructions. Peel, core and cut 3 pounds freeze. Use in pies as you would freshly sliced apples; but first, thaw partially and drain. There's nothing better than a delicious apple pie in the middle of winter. Frozen apples

want to buy one, my parents have one that I used as a kid. Please "I would like to know what stores sell your Apple-Mate 2. I really respond ASAP, I have three apple trees!" Hugh Fairhurst Minnesota

machine 5-6 years. We like the machine very much and "... we make about one pie per month and have had the have purchased some for friends and relatives."

Joan Coates

tell me where I could purchase one. Would be very I liked it very much...! was wondering if you could "My daughter-in-law has one of your Apple-Mates. grateful if I could find one."

Mrs. Ted Chrischilles

Slicer, Corer for Christmas. "I was given an Apple Parer, have used it relentlessly."

Valerie W. Blakely Canada

"I have been using one of your 860 Apple Paret, Slicer, Corers for some time and find it to be a

very useful tool" W. Edward Allan Washington

"I purchased your Apple-Mate 1 and just love it."

Sandra Brooks

NORPRO

"Received the 860 as a gift and find it does a great job." Earl Idman, Jr. California

Oje



Parts list

To order additional or replacement parts for your Apple machine(s), see chart below for part letter and part cost. Mail check or money order along with Parts List Order Form to:

APPLE MACHINE 2215 Merrill Creek Parkway Everett, WA 98203-5899

Sorry, no part orders accepted by phone. Prices subject to change without notice.

#867	Z	×	861c	S	R	Q	U	Z	M	Ξ	G	TI	П	D	C	В	A	Part Letter
Optional Thick Slice Shaft (Cuts 1/8" slices)	Paring Knife	Optional Clamp for #865 or #866	Coring Attachment (NOT FOR	Vacuum Base	Rubber Foot	Spring for Shaft Guide Plate	Shaft Guide Plate	Retaining Bar and Nut	Sqaure Metal Plate to hold F	Metal Arm	Plastic Handle	Slicer /Corer	Paring Knife Holder	3 Prong Fork	Draw Shaft	Groove Clamp	Red Cap	Description
slices) 7.00	5,00	4.00	THE #860) 9.00	12.00	1,00	3.00	5,00	5.00	3.00	4.00	4,00	5.00	7.00	6.00	9.00	5.00	1.00	Cost

See diagrams on page 3 for reference to machine parts.

PARTS LIST ORDER FORMS

2	Direct on the for Model #	
OHANTITY	Part letter	8
	Part letter	\$
QUANTITY	Shipping and Handling	andling \$ 2.00
		Total \$
Name		
Address		
Please send n	Please send me part (s) for Model #	
	Part letter	\$
QUANTITY		
	Part letter	S
GDANIET	Shipping and Handling	fandling \$ 2.00
		Total \$
Name		
Address		
Diease send	Please send me part (s) for Model #	
	Part letter	€9
QUANTITY) - - :	9
OHARTIY	Part letter	€.
GUANTITY	Shipping and Handling	Handling \$ 2.00
		Total \$
Name		
Address		