SINGLE GPR 120V

29.3" x 19.0" x 9.3" (74.4cm x 48.3cm x 23.6cm)

- Each 1.5GPR portable server (included) has a Safety-Fresh® brew-through lid with vapor seal and spill protection
- Adjustable bypass ensures perfect coffee regardless of batch size
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- SplashGard® funnel deflects hot liquids away from the hand





Agency:





Specifications

Product #: 23050.0007 Faucet: Upper

Water Access: Plumbed

Interface: Cabled Finish: Stainless

Funnel: Stainless Steel

Additional Features

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	17.8	2100	Yes	NEMA 5-15P	85	60°F (15.5°C)	1	2	60

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				

CAD Drawings


2D	Revit	KLC
•		

Created on:

07/19/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	9.3 in.	29.3 in.	19.0 in.	-	-	-	56.650 lbs	6.450 ft ³
Metric	23.6 cm	74.4 cm	48.3 cm	-	-	-	25.696 kgs	0.183 m³



Created on:

07/19/2017

Related Products & Accessories: SINGLE GPR 120V(23050.0007)



RWS1, 120V

Product #: 12203.0010



PARRILLA

Product #: 12203.0010



RWS1, 120V-SATIN NKL LEGS

Product #: 12203.0014



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



PAPEL FILTRANTE

Product #: 20138.1000



FUNNEL ASSY, SST (DUAL/SGL)

Product #: 20201.1201



EMBUDOS

Product #: 20201.1201



DRIP TRAY KIT, SINGLE STD & SH

Product #: 26830.0000



CHAROLA CON ACCESORIOS

Product #: 26830.0000



Product #: 27825.0000





1SH STAND,120V BLK

Product #: 27825.0003



EQHP-10L

Product #: 39000.0001



Serving & Holding Options: SINGLE GPR 120V(23050.0007)













