# DUAL SH DBC SST w/ Lower Faucet

35.8" x 21.2" x 18.0" (90.9cm x 53.8cm x 45.7cm)



Servers and airpots sold separately

- Brews 1/2, 1 or 1 1/2 gallon (1.9, 3.8 or 5.7L) batches
- Brews up to 19.3gallons (73.1L) of perfect coffee per hour
- No hot surfaces in coffee holding area
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Patented server heat conrol automatically shuts off once target temperature is reached (Can be set to 175°-190°F (79.4°-87.8°C))
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- SplashGard® funnels deflect hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®
- Stores individual coffee and flavor profiles using adjustable water volume, bypass percentage, pulse brew, and pre-infusion timing
- Troubleshoot all switches and electrical components from the front panel with advanced diagnostic service tools

Agency:

Faucet: Lower





### **Specifications**

**Product #:** 33500.0042

Water Access: Plumbed

Interface: Wireless Finish: Stainless

Funnel: Smart Funnel

## Additional Features

**BUNNLINK Compatible** 

**BrewWISE** 

### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120/208-240	23.9-29.1	4980-6800	No	-	302	60°F (15.5°C)	1	3	60

#### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	1/4" Male Flare Fitting	-		

#### **CAD Drawings**

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	18.0 in.	35.8 in.	21.2 in.	-	-	-	90.000 lbs	12.399 ft³
Metric	45.7 cm	90.9 cm	53.8 cm	-	-	-	40.824 kgs	0.351 m³



# Related Products & Accessories: DUAL SH DBC SST w/ Lower Faucet(33500.0042)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



PAPEL FILTRANTE

Product #: 20138.1000



DRIP TRAY KIT, DUAL &

Product #: 27150.0000



CHAROLA CON **ACCESORIOS** 

Product #: 27150.0000







Product #: 27825.0003



2SH STAND, 120V

Product #: 27875.0000



Product #: 27875.0000



Product #: 27875.0003




**BREWWISE RECIPE** WRITER

Product #: 34444.0000



CARD ASSY, RECIPE TRANSFER(BRW)

Product #: 34447.0000



CARD ASSY. TRANSFER-AD (BRW)

Product #: 34448.0000



**TARJETA** 

Product #: 34448.0000







# Serving & Holding Options: DUAL SH DBC SST w/ Lower Faucet(33500.0042)



SH SERVER, 1.5G/5.7L NO FL ADJ TMR

Product #:27850.0001



CONTENEDOR

Product #:27850.0001



SH SERVER, 1.5G/5.7L BLK NO FL ADJ TMR

Product #:27850.0004



SH SERVER, 1.5G/5.7L 45 MIN ADJ TMR

Product #:27850.0006



SH SERVER, 1.5G BLK 60 MIN ADJ TMR

Product #:27850.0008



SH SERVER, 1.5G 120 MIN ADJ TMR AUTO OFF

Product #:27850.0009



SH SERVER, 1.5G/5.7L 240 MIN ADJ TMR

Product #:27850.0016



CONTENEDOR

Product #:27850.0016



SH SERVER, 1.5G/5.7L BLK 120 MIN ADJ TM

Product #:27850.0022



CONTENEDOR

Product #:27850.0022



SH-S SERVER 1G 60 MIN ADJ TMR

Product #:27850.0046



CONTENEDOR

Product #:27850.0046

