# SINGLE SH DBC BLK 120/240V

35.8" x 21.2" x 9.3" (90.9cm x 53.8cm x 23.6cm)



- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- Brews 11.4gal (43.2L) of perfect coffee per hour
- Consistently brew perfect coffee using Digital Brewer Control™ with pulse brew
- Reduce accidents with safety features that decrease hot splashes from funnel, eliminate brewing when funnel or server is not present
- Simplify installation and calibration by creating your own recipe cards and dedicated funnels with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- SplashGard® funnel deflects hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®
- Stores individual coffee and flavor profiles using adjustable water volume, bypass percentage, pulse brew, and pre-infusion timing
- Troubleshoot all switches and electrical components from the front panel with advanced diagnostic service tools

Agency:

Faucet: Upper





Servers and airpots sold separately

### **Specifications**

**Product #:** 33600.0013

Water Access: Plumbed

Interface: Wireless

Finish: Black

Funnel: Smart Funnel

### Additional Features

**BUNNLINK Compatible** 

**BrewWISE** 

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr Input H²O 236ml cups/hr Temp.		Phase	# Wires plus Ground	Hertz	
120/240	17.5	4100	No	-	187	60°F (15.5°C)	1	3	60	

#### Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)		
20-90	138-621	1/4" Male Flare Fitting	-		

#### **CAD Drawings**


2D	Revit	KLC
•		


Created on:

06/30/2017



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.





Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	9.3 in.	35.8 in.	21.2 in.	-	-	-	57.900 lbs	7.203 ft <sup>3</sup>
Metric	23.6 cm	90.9 cm	53.8 cm	-	-	-	26.263 kgs	0.204 m³



## Related Products & Accessories: SINGLE SH DBC BLK 120/240V(33600.0013)



FILTERS, GOURMET 500 500/1 50/CL

Product #: 20138.1000



PAPEL FILTRANTE

Product #: 20138.1000



DRIP TRAY KIT,SINGLE STD & SH

Product #: 26830.0000



CHAROLA CON ACCESORIOS

Product #: 26830.0000



DRIP TRAY KIT, DUAL &

Product #: 27150.0000











1SH STAND,120V BLK

Product #: 27825.0003



2SH STAND, 120V

Product #: 27875.0000



BASE

Product #: 27875.0000



2SH STAND, 120V BLK

Product #: 27875.0003



BREWWISE RECIPE WRITER

Product #: 34444.0000



CARD ASSY,RECIPE TRANSFER(BRW)

Product #: 34447.0000



CARD ASSY, TRANSFER-AD (BRW)

Product #: 34448.0000









# Serving & Holding Options: SINGLE SH DBC BLK 120/240V(33600.0013)



SH SERVER, 1.5G/5.7L NO FL ADJ TMR

Product #:27850.0001



CONTENEDOR

Product #:27850.0001



SH SERVER, 1.5G/5.7L BLK NO FL ADJ TMR

Product #:27850.0004



SH SERVER, 1.5G/5.7L 45 MIN ADJ TMR

Product #:27850.0006



SH SERVER, 1.5G BLK 60 MIN ADJ TMR

Product #:27850.0008



SH SERVER, 1.5G 120 MIN ADJ TMR AUTO OFF

Product #:27850.0009



SH SERVER, 1.5G/5.7L 240 MIN ADJ TMR

Product #:27850.0016



CONTENEDOR

Product #:27850.0016



SH SERVER, 1.5G/5.7L BLK 120 MIN ADJ TM

Product #:27850.0022



CONTENEDOR

Product #:27850.0022



SH-S SERVER 1G 60 MIN ADJ TMR

Product #:27850.0046



CONTENEDOR

Product #:27850.0046

