

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product name CONVOCLEAN NEW
CAS # Mixture
Product use Industrial applications - Oven cleaner
Manufacturer Convotharm Germany
CONVOTHERM Elektrogeräte GmbH
Talstrasse 35
82436 Eglfing Germany
Phone +49 8847 67-0
Emergency 011 49 89 19240
Supplier Cleveland Range, LLC
1333 E. 179th St.
Cleveland, OH 44110 US

2. Hazards Identification

Emergency overview WARNING
CAUSES EYE AND SKIN IRRITATION.

Potential short term health effects

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Eyes Causes irritation.

Skin Causes irritation.

Inhalation May cause respiratory tract irritation.

Ingestion May cause stomach distress, nausea or vomiting.

Target organs Eyes. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin. May cause redness and pain. Causes irritation.

OSHA regulatory status Additional information is given in the Material Safety Data Sheet. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential environmental effects See section 12.

3. Composition/Information on Ingredients

Components	CAS #	Percent
Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	3 - 7
Benzenesulfonic acid, linear alkyl, sodium salt	68411-30-3	1 - 5
Other components below reportable levels		60 - 100

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation develops or persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Rinse mouth. Never give anything by mouth if victim is unconscious, or is convulsing. Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Obtain medical attention.

Notes to physician Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General advice	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.
-----------------------	---

5. Fire Fighting Measures

Flammable properties	Not flammable by WHMIS/OSHA criteria.
Extinguishing media	
Suitable extinguishing media	Water. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.
Environmental precautions	Do not discharge into lakes, streams, ponds or public waters.
Methods for containment	Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Prevent entry into waterways, sewer, basements or confined areas.
Methods for cleaning up	<p>Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. This product is miscible in water.</p> <p>Large Spills: Dike the spilled material, where this is possible. Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the MSDS. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills to original containers for re-use.</p>

7. Handling and Storage

Handling	<p>Do not get in eyes, on skin or on clothing.</p> <p>Avoid breathing vapors or mists of this product.</p> <p>Use only with adequate ventilation.</p> <p>Use good industrial hygiene practices in handling this material.</p> <p>Wear appropriate personal protective equipment.</p> <p>Observe good industrial hygiene practices.</p> <p>Wash thoroughly after handling.</p>
Storage	Store away from incompatible materials (see Section 10 of the MSDS).

8. Exposure Controls/Personal Protection

Exposure limits	This material does not have established exposure limits.
Engineering controls	Not normally required if good ventilation is maintained.
Personal protective equipment	
Eye / face protection	Safety glasses or goggles.
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Wash hands before breaks and immediately after handling the product. Use good industrial hygiene practices in handling this material. When using do not eat or drink.

9. Physical and Chemical Properties

Appearance	Clear
Color	Brown
Form	Liquid
Odor	Lemon
Odor threshold	Not available.
Physical state	Liquid.
pH	11.4 @20°C
Freezing point	Not available.
Boiling point	208.4 °F (98 °C)
Pour point	Not available.
Evaporation rate	Not available
Flash point	Not available.
Auto-ignition temperature	Not available.
Flammability limits in air, upper, % by volume	Not available.
Flammability limits in air, lower, % by volume	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Solubility (water)	Miscible
Relative density	1.047 g/cm ³ (DIN 51757)
Viscosity	Not available.
VOC	Not available
Percent volatile	Not available

10. Stability and Reactivity

Reactivity	This product may react with strong acids. This product may react with oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Oxides of sulfur.

11. Toxicological Information

Toxicological data

Components	Species	Test Results
Benzenesulfonic acid, linear alkyl, sodium salt (CAS 68411-30-3)		
Acute		
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	404 mg/kg
Glucopyranose, oligomeric, decyl octyl glycosides (CAS 68515-73-1)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg

Effects of acute exposure

Eye contact	Causes irritation.
Skin contact	Causes irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	May cause stomach distress, nausea or vomiting.
Sensitization	Non-hazardous by WHMIS/OSHA criteria.
Chronic effects	Not classified.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, NTP, or OSHA.
Mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Reproductive effects	This product is not expected to cause reproductive or developmental effects.
Teratogenicity	Not classified.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity See below

Ecotoxicological data

Components	Species	Test Results
Benzenesulfonic acid, linear alkyl, sodium salt (CAS 68411-30-3)		
Algae	IC50	Algae
		9 mg/L, 72 Hours
Crustacea	EC50	Daphnia
		0.63 mg/L, 48 Hours
Aquatic		
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
		3.8 - 6.6 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulation / Accumulation	No data available.
Mobility in environmental media	Not available.
Environmental effects	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Aquatic toxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Partition coefficient	Not available.
Chemical fate information	Not available.

13. Disposal Considerations

Disposal instructions	Review federal, state/provincial, and local government requirements prior to disposal. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

General	Not hazardous for transportation as determined by the UN Test, Part III, subsection 37.4: Test methods for corrosion to metals: Rate of Corrosion testing: <6.25 (mm aluminum /yr)
----------------	--

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.
-------------------------------------	---

Canada WHMIS Ingredient Disclosure: Threshold limits

Benzenesulfonic acid, linear alkyl, sodium salt (CAS 68411-30-3) 1 %

WHMIS status	Controlled
WHMIS classification	Class D - Division 2B
WHMIS labeling	



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous chemical	Yes
--	-----

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
--------------------------	---

State regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Texas Effects Screening Levels: Listed substance

Glucopyranose, oligomeric, decyl octyl glycosides (CAS 68515-73-1) Listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

09-December-2014

Effective date

01-December-2014

Expiry date

01-December-2017

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

This MSDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.