

WATER FILTERS 04/30/18 Item # 13076

Item #: Project: ___ AIA#:

E-10 PREFILTER (9795-80)



E-10 and E-20 Prefilters can be used for ice. Everpure prefilters are designed to increase the life of Hoshizaki 4HC-H water filters in areas with an unusual amount of dirt in the water. With a 10 micron (nominal) rating, the economical Everpure prefilter traps much of the dirt which contributes to scale buildup in ice makers, and clogs

When you install an Everpure prefilter, the Hoshizaki 4HC-H water filters can concentrate on what they do best: remove particles one (1) micron nominal and larger in size.

the delicate orifices of other water-using equiment.

Replacement Cartridges:

E-10 Prefilters: 12 pack (9534-12)

40 pack (9534-40)

F-20 Prefilters: 6 pack (9534-26)

20 pack (9534-20)









E-20 PREFILTER (9795-90)



Double Configuration 19.11" H

H9320 FILTER Single, Double, Triple *height includes manifold and cartridge

Triple Configuration

- · Keep ice makers functioning at full capacity
- 93.7% average reduction of chlorine from incoming water supply, eliminating tastes and odors of the ice
- Filters are rated as one (1) micron nominal producing crystal clear ice
- Decrease machine maintenance by reducing lime scale build-up

HOSHIZAKI H9320 FILTER

Available in single, double and triple configurations. Rated NSF Class 1, STD 42, for taste, odor and chlorine reduction and for mechanical filtration (95.6% removal of particles one (1) micron and larger in size.)

The H9320 Filters and their respective cartridges have been tested and listed by NSF only for the functions listed above. Check for compliance with state and local laws and regulations. Do not use where the water is microbiologically unsafe, or with waters of unknown quality without adequate disinfection before or after the unit. The H9320 filter can be used with water that may contain filterable cysts.



The H9320 System is tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of:

Std. No. 42 - Aesthetic effects

Aesthetic Effects Bacteriostatic Effects Chemical Reduction Taste & Odor Chlorine

Mechanical Filtration Nominal Particulate Class 1

One Year replaceable elements* One Year the entire system

* Warranty applies to material defects in materials & workmanship only.

Hoshizaki reserves the right to change specifications without notice.



| | odel mber | Description Flow Rate (Gal. per min.) | Undercounter KMs | KM Cubers | IM Cubers | Flakers | DCMs |
|-----|--------------|--|--|--|------------------------|------------|------------|
| Н93 | 320-51 | Single (2 GPM) | AM-50B KM-61B KM-101B KM-151B KM-201B KM-260B | KM-340M, 515M KML-325M, 500M, 700M KMD-410M, 460M, 530M KMS-830M DKM-500B | IM-200BAA IM-500SAA | All Models | All Models |
| Н93 | 320-52 | Twin 2 x (2 GPM) | N/A | KM-650M, 901M 1100M, 1340M, 1601M 1601S, 1900S,2200S KMD-860M KMS-822M,1122M 1402M KMH-2000S | N/A | N/A | N/A |
| Н93 | 320-53 | Triple 3 x (2 GPM) | N/A | KM-1301S KMS-2000M KM-2600S | N/A | N/A | N/A |
| H96 | 655-11 | Replacement Cartridge (1) One each | | | | | |

Recommended water filter configurations based on average ice machine usage and regular filter replacement. If your operation has challenging water conditions or higher usage, then it may be necessary to use an additional filter or prefilter.