

XR8-G ROTATING RACK GAS CONVECTION OVEN REPLACEMENT PARTS LIST



EFFECTIVE JANUARY 7, 2010

BLODGETT OVEN COMPANY, 44 Lakeside Avenue, Burlington, Vermont 05401 USA Telephone: (802) 860-3700 (800) 331-5842 Fax: (802) 860-3732 www.blodgett.com

SERIAL NUMBER LOCATION / KEY:

IMPORTANT: When ordering parts, please provide the model, gas type and serial number of the oven. The identification plate is located behind the control panel. To access, remove the two screws on the right side of the control panel. Pull the control panel toward the right side of the oven. Then pull away from the oven and rotate out.

SERIAL NUMBER IDENTIFICATION CODE: DG = XR8-G GAS ROTATING RACK CONVECTION OVEN

SERIAL NUMBER EXAMPLES

071907DG027Z 07/19/07 = DATE DG = LETTER CODE FOR XR8-G 001 = FACTORY SEQUENCE

PLEASE NOTE THAT THE SERIAL NUMBERS
ON THE XR8-G ARE ONLY 12 DIGITS LONG!!!


TO OBTAIN LITERATURE:

Blodgett Literature Department 800-331-5842, x6157 Fax: 802-860-3755 Email: literature@blodgett.com or www.blodgett.com

TABLE OF CONTENTS


| SOLID STATE CONTROLS | PAGE 4 |
|------------------------|---------|
| MENUSELECT CONTROLS | PAGE 5 |
| ELECTRICAL COMPARTMENT | PAGE 6 |
| HOT AIR SYSTEM | PAGE 7 |
| GAS TRAIN COMPONENTS | PAGE 8 |
| STEAM SYSTEM | PAGE 9 |
| INTERIOR ITEMS | PAGE 10 |
| DOOR COMPONENTS | PAGE 11 |
| CAROUSEL DRIVE SYSTEM | PAGE 13 |
| ACCESSORIES | PAGE 14 |

SOLID STATE CONTROLS



| Ref. | Part | |
|------|-------|--|
| No. | No. | <u>Description</u> |
| 1 | 38483 | Control panel, for ovens manufactured before 07-19-2007 |
| 2 | 50797 | Control panel, for ovens manufactured after 07-19-2007 |
| 3 | 38482 | Decal, single speed blower |
| 4 | 51752 | Decal, two speed blower |
| 5 | 19619 | Switch, power on/off |
| 6 | 36617 | Control knob |
| 7 | 36376 | Switch, gas on/off |
| 8 | 20530 | Switch, blower (2 speed only) |
| 9 | 24725 | Silicone spacer |
| 10 | 50785 | Control upgrade kit for ovens manufactured before 03-20-2007 (includes probe item #13) |
| 11 | 38506 | Control, solid state for ovens manufactured after 03-20-2007 |
| 12 | 50787 | Probe, 100K or ovens manufactured before 03-20-2007 |
| 13 | 50786 | Probe, 1K for ovens manufactured after 03-20-2007 |
| | 38607 | Wiring harness, 1 speed |
| | 51751 | Wiring harness, 2 speed |
| | 38618 | Complete control panel assy, for ovens manufactured before 07-19-2007 (includes all items except probe) |
| | 51976 | Complete control panel assy, 1 speed for ovens manufactured after 07-19-2007 (includes all items except probe) |
| | 50844 | Complete control panel assy, 2 speed (includes all items except probe) |
| | | |

MENUSELECT™ CONTROLS



| Ref. No. | Part <u>No.</u> | <u>Description</u> | Ref. <u>No.</u> | Part <u>No.</u> | Description |
|-------------|--------------------|---|--------------------|--------------------|------------------------------------|
| 1 | 38949 | Control panel, for ovens manufactured | 15 | 50786 | Probe, 1K |
| | | before 07-19-2007 | 16 | 52604 | Circuit board, USB |
| 2 | 50536 | Control panel, for ovens manufactured | 17 | 52647 | USB cable, 36" |
| | | after 07-19-2007 | 18 | 52160 | USB cable, 18" |
| 3 | 52699 | Control panel, complete for Dunkin Donuts | 19 | 52161 | Protective cap, USB |
| 4 | 50665 | Complete control panel assy | 20 | 52269 | Decal, USB |
| 5 | 38693 | Control decal | | 39998 | Thermistor, 5 ohm |
| 6 | R4413 | Handle | | 39529 | Harness, high voltage |
| 7 | 51372 | Knob | | 39533 | Harness, low voltage |
| | 50986 | Decal, "PRESS TO ENTER" | | 52926 | Flash drive, USB, 2GB (2 gigabyte) |
| 8 | 36429 | Circuit breaker | | | |
| 9 | 36376 | Switch, gas on/off | | | |
| 10 | 20356 | Transformer, 115/230 to 24V | | | |
| 11 | 39122 | Board, 3 button | | | |

Control, Menuselect $^{\text{TM}}$

Control, VFD, Dunkin Donuts only

Relay, 24 VDC DPDT (qty of 6 in oven)

38940

52693


38604

12

13


14

ELECTRICAL COMPARTMENT




| Ref. <u>No.</u> | Part <u>No.</u> | <u>Description</u> |
|--------------------|--------------------|---|
| 1 | 36432 | Control, ignition |
| 2 | 36441 | Thermostat, high limit |
| 3 | 36700 | Transformer, 115/230V-24V |
| 4 | 38604 | Relay, 24VDC DPDT |
| 5 | M9608 | Power supply, 24VDC |
| 6 | 38605 | Terminal block, incoming power |
| 7 | 38610 | Capacitor, electrolytic |
| 8 | M9422 | Pressure switch |
| 9 | 38609 | Capacitor, rack motor |
| 10 | R11255 | Terminal block, 3 pole (qty of 5 in oven) |
| 11 | 39784 | Relay, timing |
| 12 | 36605 | Spark wire |
| | 52669 | Wiring diagram, Menuselect |
| | 52670 | Schematic, Menuselect |
| | 52673 | Wiring diagram, SSD, 2 spd |
| | 52672 | Schematic, SSD, 2 spd |
| | | |

HOT AIR SYSTEM




| No. | No. | <u>Description</u> |
|-----|-------|----------------------------|
| 1 | 38938 | Draft inducer assembly |
| 2 | 38354 | Blower motor, single speed |
| 3 | 50779 | Blower motor, two speed |
| 4 | 38595 | Cooling fan |
| 5 | 38593 | Shaft seal, square |
| 6 | 39640 | Shaft seal, round |
| 7 | 39641 | Shaft seal retainer |
| 8 | 38416 | Gasket, heat exchanger |
| 9 | 38348 | Heat exchanger |
| 10 | 38411 | Fan blade |
| | | |

GAS TRAIN COMPONENTS



| Ref. | Part | | |
|------|-------|--|--|
| No. | No. | <u>Description</u> | |
| 1 | 38433 | Manifold assembly | |
| 2 | 22724 | High limit switch | |
| 3 | 39831 | Electrode, flame sense | |
| 4 | 38964 | Orifice retaining ring (set of 8) | |
| 5 | 38566 | Burner, inshot (set of 8) | |
| 6 | 38742 | Valve, natural gas | |
| 7 | 38743 | Valve, LP gas | |
| 8 | 38563 | Orifice, natural gas .061" | |
| 9 | 38561 | Orifice, LP gas .038" | |
| 10 | 38564 | Orifice, natural gas .070" (set of 6) | |
| 11 | 38562 | Orifice, LP gas .043" (set of 6) | |
| 12 | 51633 | Ignitor assembly | |
| | 38962 | Burner assembly, natural gas (includes all items above except gas valve) | |
| | 38966 | Burner assembly, LP gas (includes all items above except gas valve) | |
| | 36605 | Spark wire | |
| | | | |

STEAM SYSTEM



Coupling, 3/8 ID

Coupling, 1/8 ID

Sleeve

Vent motor

Micro switch

38586

38588

38587

38576

37392

11


12

13

14

15

INTERIOR ITEMS




| only |
|------|
| - |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

DOOR COMPONENTS

(For Ovens Built After 07-19-07.

These ovens will have the model code "DJ" within the serial number)




| No. | No. | Description | | |
|-----|-------|---|---|------------------------------|
| 1 ♦ | 50630 | Door assembly, LH glass (comes with item #3 only) | | |
| 2 ♦ | 50625 | Door assembly, RH glass (comes with item #3 only) | | |
| 3 | 38913 | Center door gasket w/retainer | | |
| 4 | 50228 | Latch assembly, LH door | | |
| 5 | 50227 | Latch assembly, RH door | | |
| 6 | 50241 | Door handle | | |
| 7 | 38791 | Cup, magnet | | |
| 8 | 38792 | Magnet, door | | |
| 9 | 50514 | Door catch (top or bottom) | | |
| 10 | 39744 | Proximity switch, magnetic | | |
| 11 | 50100 | Gasket retainer, left / right | | |
| 12 | 50099 | Gasket retainer, top / bottom | | Doors Are Not Returnable |
| 13 | 50064 | Door gasket | • | Doors / No trott lotal habit |
| | | | | |


DOOR COMPONENTS

(For Ovens Built Before 07-19-07.

These ovens will have the model code "DF" within the serial number)




CAROUSEL DRIVE SYSTEM



No.

ACCESSORIES



| Ref. | Part | |
|--------|----------------|--|
| No. | <u>No.</u> | <u>Description</u> |
| 1 | 38978 | Crated stand |
| 2 3 | 38557 38905 | Direct vent drafthood Wire racks |
| 4 | 38338 | Pan slides |
| | 21242 | 48" flex gas hose with quick disconnect and restraining device |
| | 21826 | 36" flex gas hose with quick disconnect and restraining device |
| | 53163 | Caster shim kit |