# **H5X Element SST**

28.5" x 17.6" x 7.4" (72.4cm x 44.7cm x 18.8cm)





- LED display provides simple temperature adjustment
- Thinsulate® tank insulation provides increased energy efficiency
- Programmable "Energy Saver Mode" reduces operating cost during idle periods
- The perfect tool for added control over quality coffee and tea
- Contemporary, space-saving design
- Digital thermostat provides constant and accurate temperatures of 60°- 212°F (15.6°-100°C)

Agency:





### **Specifications**

Product #: 43600.0002 Water Access: Plumbed

Finish: Stainless
Faucet: Upper

**Temp. Setting:** 212°F (100.000°C)

## **Additional Features**

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
208	19.5	4050	No	-	-	60°F (15.5°C)	1	2	60

## Plumbing Requirements

i idinishig respansinshes							
PSI	kPa	Fitting Supplied	Water Flow Required (GPM)				
20-90	138-621	1/4" Male Flare Fitting	-				

#### **CAD Drawings**


2D	Revit	KLC
•		


Created on:


08/02/2017




BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.









Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume
English	7.4 in.	28.5 in.	17.6 in.	-	-	-	32.500 lbs	3.670 ft <sup>3</sup>
Metric	18.8 cm	72.4 cm	44.7 cm	-	-	-	14.742 kgs	0.104 m³




# Related Products & Accessories: H5X Element SST(43600.0002)















# Serving & Holding Options: H5X Element SST(43600.0002)

\*Serving and Holding selections are currently unavailable. Please contact your sales representative to find out more information.\*

