## Split Bristle Angle Head Broom, 11.4", Black





The split bristle angle head broom is designed to handle fine particles like dust, flour, and powdered sugar. The soft/split bristles gently sweep away these powders without leaving residues. The broom head, made of FDA-compliant materials, comes in six colors, making it a great addition to any color-coded food safety or sanitation plan.

## **Technical Data**

Item Number	29169
Bristle stiffness	Stiff/Split
Visible bristle length	5.5 "
Material	Polyester Polypropylene Stainless Steel (AISI 304)
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Complies with FDA RegulationI CFR 21 <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Complies with California Proposition 65	Yes
Complies with Halal and Kosher	Yes
PFAS, Phthalates and BPA intentionally added	No
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	480 Pcs.
Quantity Per Layer (Pallet)	60 Pcs.
Box Length	16.1 "
Box Width	11.6 "
Box Height	8.3 "
Length	11.4 "
Width	1.6 "
Height	8.7 "
Net Weight	0.8576 lbs
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.03 lbs
Weight cardboard (Recycling symbol "20" PAP)	0.06 lbs
Tare Total	0.09 lbs
Gross Weight	0.95 lbs
Cubic Feet	0.0902 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	212 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
GTIN-13 Number	5705022016736

GTIN-14 Number (Box quantity)	15/05028016/82
Customs Tariff No.	96039091
Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.